Annual Report · 2015

The surveillance and control programme for bovine tuberculosis in Norway 2015





Surveillance programmes for terrestrial and aquatic animals in Norway

Annual report 2015

Project managers at the Norwegian Veterinary Institute:

Ståle Sviland (Terrestrial animals) Anne-Gerd Gjevre (Aquatic animals) Mona Torp (Food safety)

Editor Merete Hofshagen

Publisher

Norwegian Veterinary Institute PO Box 750 Sentrum N-0106 Oslo Norway

Fax: + 47 23 21 60 95 Tel: + 47 23 21 60 00 E-mail: postmottak@vetinst.no www.vetinst.no

ISSN 1894-5678

Title: The surveillance programme for bovine tuberculosis in Norway 2015

Authors: Ståle Sviland, Malin Jonsson, Tone Bjordal Johansen

Date: 2016-05-11

Front page photo: Hanne Mari Jordsmyr

Any use of the present data should include specific reference to this report.

Example of citation:

Sviland S, Jonsson M, Johansen TB. The surveillance programme for bovine tuberculosis in Norway 2015. *Surveillance programmes for terrestrial and aquatic animals in Norway. Annual report* 2015. Oslo: Norwegian Veterinary Institute; 2016.

The surveillance programme for bovine tuberculosis in Norway 2015

Ståle Sviland, Malin Jonsson, Tone Bjordal Johansen

In 2015, samples from two cattle for Mycobacterium sp. examination were submitted from post-mortem of fallen stock.

Introduction

Apart from two single-herd outbreaks in Sogn og Fjordane county in 1984 and 1986 Norway has been considered free from bovine tuberculosis since 1963 (1). And since 1994, the EFTA Surveillance Authority (ESA) has recognised Norway as officially free from bovine tuberculosis, as described in ESA Decision 225/96/COL replacing ESA Decision 67/94/COL. In 2000, a surveillance programme for bovine tuberculosis was launched. The programme includes compulsory veterinary inspection of all bovine carcasses at slaughter, with submission of suspicious materials to the Norwegian Veterinary Institute for further examination.

Aims

The aims of the programme are to document absence of bovine tuberculosis, according to Directive 64/432/EEC with amendments, and to contribute to the maintenance of this favourable situation.

Material and methods

Submission of material from slaughterhouses

Lung tissue, lymph nodes and other organs with pathological lesions where bovine tuberculosis cannot be excluded, are submitted for examination.

The Food Safety Authority collects the samples during routine meat inspection.

Histopathological examination

Tissues are fixed in 10% neutral phosphate-buffered formalin for more than 24 hours, processed according to a standard routine protocol, embedded in paraffin, sectioned at 5 μ m and stained with haematoxylin and eosin and Ziehl-Neelsen.

Bacteriological examination

Samples are examined as described in the OIE manual (2). Samples are homogenised, decontaminated with 5 % oxalic acid and centrifuged. The top layer of the sediment is used for culturing and microscopic examination. The sediment is inoculated onto slopes Löwenstein Jensen medium, Stonebrink's medium, Middelbrook 7H10 medium and Dubos medium. The slopes are incubated aerobically at 37 °C for two months and checked every week for growth of acid-fast bacilli, determined by the Ziehl-Neelsen method. If acid-fast bacteria are detected, molecular methods are used for species identification.

Results and discussion

Table 1 shows the number of samples collected and the results since the programme started in 2000. In 2015, samples from two cattle were submitted.

The low number of submitted samples indicates a low prevalence of suspicious pathological lesions. Continuous surveillance by veterinary meat inspection, early and effective eradication campaigns, combined with restricted import of live cattle, have contributed significantly to this situation.

			No. of positive	
Year	No. of samples	No. of herds	Samples	Herds
2000	0	0	0	0
2001	3	3	0	0
2002	0	0	0	0
2003	1	1	0	0
2004	4	4	0	0
2005	1	1	0	0
2006	3	3	0	0
2007	0	0	0	0
2008	4	2	0	0
2009	1	1	0	0
2010	1	1	0	0
2011	1	1	0	0
2012	0	0	0	0
2013	5	4	0	0
2014	1	1	0	0
2015	2	2	0	0

Table 1. Number of samples tested for bovine tuberculosis since.

References

1. Sandvik O. Animal Health Standards in Norway. Næss B (editor). Oslo: The Royal Ministry of Agriculture; 1994.

2. Office International des Epizooties. http://www.oie.int/fileadmin/Home/eng/Health_standards/tahm/2.04.07_BOVINE_TB.pdf The Norwegian Veterinary Institute (NVI) is a natitonwide biomedical research institute and Norway's leading centre of expertise regarding biosafety in aquatic and terrestrial animals. The aim of the Institute is to become Norway's contingency centre of preparedness for One Health.

The primary mission of the NVI is to give researchbased independent advisory support to ministries and governing authorities. Preparedness, diagnostics, surveillance, reference functions, risk assessments, and advisory and educational functions are the most important areas of operation. The Institute has its main laboratory in Oslo, with regional laboratories in Sandnes, Bergen, Trondheim, Harstad and Tromsø, with about 330 employees in total.

www.vetinst.no



Veterinærinstituttet

The Norwegian Food Safety Authority (NFSA) is a governmental body whose aim is to ensure through regulations and controls that food and drinking water are as safe and healthy as possible for consumers and to promote plant, fish and animal health and ethical farming of fish and animals.

We encourage environmentally friendly production and we also regulate and control cosmetics, veterinary medicines and animal health personnel. The NFSA drafts and provides information on legislation, performs risk-based inspections, monitors food safety, plant, fish and animal health, draws up contingency plans and provides updates on developments in our field of competence. The NFSA comprises two administrative levels, five regions in addition to the head office, and has some 1250 employees. The NFSA advises and reports to the Ministry of Agriculture and Food, the Ministry of Trade, Industry and Fisheries and the Ministry of Health and Care Services.

www.mattilsynet.no

